



**EuroHPC**  
Joint Undertaking



# Centres of Excellence in CASTIEL2

*A summary of their consortium, objectives, area of activity, codes/use cases and CASTIEL2 champions*

Authored by CASTIEL2-WP2



01.01.2023 - 31.12.2026

Life Sciences

<https://bioexcel.eu/>

3rd Phase - Type 2 (Apps)

<b>Coordinator: <a href="#">KTH Royal Institute of Technology</a> - SE (PI: <a href="#">Rossen Apostolov</a>)</b>	<a href="#">University of Utrecht</a> NL
<a href="#">Barcelona Supercomputing Centre</a> ES	<a href="#">IRB Barcelona</a> ES
<a href="#">EMBL-EBI</a> DE	<a href="#">MPG</a> DE
<a href="#">Nostrum Biodiscovery</a> ES	Norman Consulting NO

BioExcel's mission is to provide applications, tools, support, and networking opportunities to Life Science researchers, enabling them to address grand scientific challenges by fully exploiting the power of data and computing e-infrastructure. Powerful and sophisticated software packages are critically important for fundamental and applied research, including industrial development, in particular in the areas of drug design, biotechnology, food and chemical industries.

- Service Portal: <https://bioexcel.eu/services/>
- Trainings: <https://bioexcel.eu/services/training/>
- Potential Collaboration with Industry (not partners): Yes

## USE CASES

- [Antibody Design through Biomolecular Interactions Engineering](#)
- [High-Throughput Modelling of Interactomes](#)
- [Electronic Interaction Phenomena: Proton Dynamics and Fluorescent Proteins](#)
- [Rational Drug Design](#)

## CODES

- **GROMACS:** one of the most used molecular dynamics codes. Highly tuned assembly kernels with hybrid CPU/GPU execution.
- **HADDOCK:** used for integrative modelling. Python wrapper to execute a series of CNS (Crystallography and NMR system) scripts that also run pre and post-processing analysis.
- **PMX:** used to automate the free energy calculations and assess binding between drug and protein. It uses GROMACS as a backend engine.
- **BioBB:** Python library consisting of a collection of wrappers on top of biomolecular tools (e.g. GROMACS, HADDOCK, PMX), adding interoperability between them, and allowing an easy creation of biomolecular simulation workflows. The library combined with BSC PyCOMPSs workflow manager can be used to launch the workflows in HPC systems using thousands of cores.



Centre of Excellence in Exascale CFD

01.01.2023 - 31.12.2026

Exascale CFD

<https://ceec-coe.eu/>

1st Phase - Type1 (Exascale)

<b>Coordinator:</b> <a href="#">KTH Royal Institute of Technology</a> - SE (PI: Niclas Jansson)	<a href="#">AUPh</a> EL
<a href="#">Barcelona Supercomputing Centre</a> ES	<a href="#">FAU - University Erlangen</a> DE
<a href="#">University of Stuttgart (HLRS)</a> DE	<a href="#">Umea University</a> SE
<a href="#">Denmark Technical University</a> DK	<a href="#">BAM</a> DE

CEEC's ambition is to enable the use of exascale computers for key computational fluid dynamics (CFD) applications and demonstrate their capabilities through key light-house cases. Understanding the turbulent behavior of gases and liquids has direct societal impact. In fact, it will be key for enabling the transition to a carbon-free economy through optimizations like more fuel efficient airplanes and cargo ships or wind turbines that can be more easily and sustainably installed on the ocean floor. CEEC aims at: implement exascale-ready workflows to solve grand scientific challenges, develop new or improves algorithms that can efficiently exploit exascale systems, improve energy efficiency of simulations, and demonstrate workflows on lighthouse cases that are relevant for academia and industry.

- Service Portal: -
- Trainings: <https://ceec-coe.eu/training/>
- Potential Collaboration with Industry (not partners): Yes, but not primary target

## USE CASES

- [Shock – Boundary layer interaction and buffet on wings at the edge of the flight envelope.](#) - FLEXI
- [High fidelity aeroelastic simulation of the SFB 401 wing in flight conditions](#) - ALYA
- [Topology optimization of static mixers](#) - Neko
- [Localized erosion of an offshore wind-turbine foundation](#) - waLBerla
- [Simulation of Atmospheric Boundary Layer \(ABL\) flows](#) - NekRS/Nek500
- [Merchant ship hull](#) - Neko

## CODES

- **ALYA:** Multi-physics / multi-scale simulation framework
- **FLEXI:** DG-Spectral element based CFD code
- **Nek5000 & NekRS:** Spectral element based CFD Codes
- **Neko:** Spectral element based CFD code
- **waLBerla:** Lattice Boltzmann based multiphysics framework



# ChEESE

01.01.2023 - 31.12.2026

Solid Earth

<https://cheese2.eu/>

2nd phase - Type 2 (Apps)

Coordinator: <b>CSIC ES (PI: Arnau Folch)</b>	
<a href="#">INGV</a> IT	<a href="#">Ludwig Maximilian University of Munich</a> DE
<a href="#">Barcelona Supercomputing Centre</a> ES	<a href="#">University of Mainz</a> DE
<a href="#">CINECA</a> IT	<a href="#">University of Malaga</a> ES
<a href="#">Icelandic Metereological Office</a> IS	<a href="#">Norwegian Geotechnical Institute</a> NO
<a href="#">ETH Zurich</a> CH	<a href="#">IPGP</a> F
<a href="#">EVIDEN</a> F	<a href="#">CNRS</a> F
<a href="#">University of Stuttgart (HLRS)</a> DE	<a href="#">Ruder Boscovic Institute</a> HR
<a href="#">Technical University of Munich</a> DE	<a href="#">CSC</a> FI
<a href="#">Sorbonne University</a> F	<a href="#">E4 Analytics</a> IT

ChEESE-2P aims to prepare 11 community flagship codes to address 12 domain-specific Exascale Computational Challenges (ECCs) on, eg., computational seismology, magnetohydrodynamics, physical volcanology. Codes will be optimized in terms of performance on different types of accelerators, scalability, deployment, containerization, and portability. Codes and workflows will combine to form a new generation of 9 Pilot Demonstrators underpinned by concepts like multi-scale, multi-source, and multi-physics, that will materialise in 15 Simulation Cases representing capability and capacity use cases of particular relevance in terms of science, social relevance, or urgency.

- Service Portal: -
- Trainings: <https://cheese-coe.eu/events/training>
- Potential Collaboration with Industry (not partners): Yes - also public administration targeted

## ECCs

- Full-waveform inversion and high resolution tomography (capability computing)
- Near real-time seismic scenations (capacity computing)
- Physics-based Probabilistic Seismic Hazard Assessment (capacity & urgent computing)
- Near real-time tsunami source inversion and characterization (capability computing)
- Faster Than Real Time tsunami scenarios (capacity & urgent computing)
- Probabilistic Tsunami Hazard Assessment (capacity computing)
- Volcanic Explosions and Interactions (capability computing)
- Probabilistic Volcanic Hazard Assessment (capacity computing)
- The dynamo model and the Earth's magnetic field evolution (capability computing)
- Landslide triggering (capability computing)
- Lithospheric stress states and induces seismicity (capability computing)

## CODES

- **SeisSOL**: complex earthquake simulation
- **SPECFEM3D**: linear seismic wave propagation
- **ExaHyPE**: special emphasis on **ExaSeis** collection of seismic models
- **Tandem**: linear elasticity + sequences of earthquakes and seismic slips
- **xSHELLS**: flows, magnetic fields including Geodynamo simulations
- **HySEA**: earthquake –induced Tsunamis
- **FALL3D**: atmospheric transport & ground deposition
- **OpenPDAC**: simulation of volcanic fluids
- **LaMEM**: thermo-mechanical geodynamic modelling
- **pTatin3D**: simulation of long time-scale geodynamics processes
- **ELMER/ICE**: Multi-physics package



01.01.2024 - 31.12.2026  
 Energy - Engineering  
<https://www.eocoe.eu/>  
 3rd Phase

Coordinator: CEA F (PI: Edouard Audit)	
<a href="#">CEA</a> F	<a href="#">FZJ</a> DE
<a href="#">Barcelona Supercomputing Centre</a> ES	<a href="#">CNRS</a> F
<a href="#">INRIA</a> F	<a href="#">CERFACS</a> F
<a href="#">ENEA</a> IT	<a href="#">E4</a> IT
<a href="#">MPG</a> DE	<a href="#">CNR</a> IT
<a href="#">FAU Erlangen</a> DE	<a href="#">ULB</a> BE
<a href="#">PSNC</a> PL	<a href="#">DDN</a> F
<a href="#">U. Roma Tor Vergata</a> IT	<a href="#">IFPEN</a> F
<a href="#">UNITN</a> IT	<a href="#">CIEMAT</a> ES

EoCoE III demonstrates the benefit of HPC for the net-zero energy transition for research institutes and also for key industries in the energy sector, channeling its efforts into 5 exascale lighthouse applications covering the key domains of Energy Materials, Water, Wind and Fusion.

The multidisciplinary effort of the consortium partners harnesses innovations in computer science and mathematical algorithms within a tightly integrated co-design approach to overcome performance bottlenecks, to deploy the lighthouse applications on the coming European exascale infrastructure, and to anticipate future HPC hardware developments.

- Service Portal: <https://www.eocoe.eu/services/>
- Software as a Service portal: <https://eocoe.psnc.pl/>
- Training events: <https://www.eocoe.eu/>
- Potential Collaboration with Industry: Yes

## CODES

- **Gysela-X**: 5-D code enabling simulations of the nonlinear turbulent core-edge plasma region at unprecedented spatial and temporal resolution length scales
- **libNEGF**: Non-equilibrium Green's function library, combined with density functional theory (DFT) models of material properties to enable new advances in photovoltaics
- **Parflow**: Groundwater modelling framework, combined with the hydropower infrastructure management system HYPERstreamHS to provide high-resolution hydrological forecasting at the continental scale
- **ALYA**: High Performance Computational Mechanics code focusing on incompressible flow for Wind over complex terrain, including physics required by wind community
- **waLBerla-wind** : fluid dynamics solver to achieve multiscale offshore and flat terrain onshore wind farms modeling
- **AGMG**, **PSCToolkit**, **GmgPolar**, **Maphys++**, **MUMPS** : Exascale-ready Linear Algebra libraries
- **Deisa**: Library that ensures coupling MPI simulation codes with the Dask Framework

## GRAND CHALLENGES / USE CASES

- Large-scale calculations of non-equilibrium charge carrier transport across the heterostructure of two-dimensional layers
- High Fidelity Microscale wind simulations and wind resource assessment, optimal complex terrain scale resolving simulations on GPUs
- Weak and strong scalings on the 4D Gysela axisymmetric version up to 100 GPUs, and up to 5000 GPUs with Gysela-X, i.e. the 5D non-axisymmetric version
- Integrated hydrologic and hydropower infrastructure information at the resolution of a reservoir, stream reach and neighborhood from the continental to the global scale
- Promotion of solutions and codes in the largest European Alliance on Energy research (EERA)



01.01.2023 - 31.12.2026

Weather - Climate

<https://www.esiwace.eu/>

3rd Phase - Type 2 (Apps)

<b>Coordinator:</b> <a href="#">Barcelona Supercomputing Centre</a> ES (PI: <a href="#">Mario Acosta</a> )	<a href="#">NLeSC</a> NL
<a href="#">ECMWF</a> UK	<a href="#">SMHI</a> SE
<a href="#">ATOS</a> F	<a href="#">CSC</a> FI
<a href="#">DKRZ</a> DE	<a href="#">University of Helsinki</a> FI
<a href="#">CMCC</a> IT	<a href="#">Juelich Forschungszentrum</a> DE
<a href="#">Max Planck Institute for Meteorology</a> DE	<a href="#">Latest Thinking</a> DE

ESiWACE3 focuses on the community's support to reach a higher readiness level regarding exascale supercomputing and knowledge transfer between the different Earth System modelling centres and teams across Europe. The project focuses on three main pillars: (i) the transfer and establishment of knowledge and technology for efficient and scalable simulations of weather and climate across the Earth system modelling community, (ii) closing common technology knowledge gaps and providing toolboxes for high-resolution Earth system modelling via joint developments and (iii) serve as a sustainable community hub for training, communication and dissemination for high-performance computing for weather and climate modelling in Europe. ESIWACE3 will bring the various approaches to address these challenges from the different modelling groups together to transfer knowledge across the weather and climate domain, generate synergies between the local efforts, provide targeted support to modelling groups via customised high-performance computing services, and provide training to educate the next generation of researchers.

- Service Portal: <https://www.esiwace.eu/services>
- Training events: <https://www.esiwace.eu/training>
- Potential Collaboration with Industry (not partners): Yes, but it is not the primary target.

## CODES

- **EC-Earth:** coupled Earth System Model for climate simulations
- **NEMO:** ocean model for climate simulations
- **ICON:** coupled Earth System Model for climate simulations
- **IFS:** Atmospheric model for weather simulations
- **HPCW:** Set of weather & climate benchmarks

## GRAND CHALLENGES

- Increase the efficiency of weather and climate simulations on state-of-the-art supercomputers.
- Design tools to close technology gaps for high-performance computing.
- Develop tools to tackle the data challenge of high-resolution weather and climate modelling.
- Support the wider weather and climate modelling community using state-of-the-art supercomputers via targeted services, training and capacity building.
- Build a well-connected and inclusive community for high-resolution Earth System modelling across Earth system science and HPC.



01.01.2023 - 31.12.2026

Engineering - Manufacturing

<https://www.excellerat.eu/>

2nd phase - Type 2 (Apps)

Coordinator: <a href="#">Univ. of Stuttgart (HLRS)</a> - DE (PI: Bastian Koller)	
<a href="#">Barcelona Supercomputing Centre</a> ES	<a href="#">DLR</a> DE
<a href="#">CINECA</a> IT	<a href="#">University of Roma "La Sapienza"</a> IT
<a href="#">SIPEARL</a> F	<a href="#">RWTH AACHEN</a> DE
<a href="#">University of Ljubljana</a> SI	<a href="#">SICOS</a> DE
<a href="#">KTH Royal Institute of Technology</a> SE	<a href="#">SSC</a> DE
<a href="#">ARCTUR</a> SI	<a href="#">Teratec</a> F
<a href="#">CERFACS</a> F	<a href="#">Fraunhofer SCAI</a> DE

EXCELLERAT P2 spans the whole domain of engineering – ensuring that innovations produced are applicable to other engineering challenges, that co-design is handled properly, that success stories are created and distributed. EXCELLERAT P2 strives to show the contribution of HPC, HPDA and AI in engineering to a low-carbon, more environmentally friendly and socially responsible product development and manufacturing as well as the mobility and energy sector. The holistic view of EXCELLERAT P2 to the usage of HPC (and HPDA and AI) is needed, if engineering applications shall be supported to increase the European competitiveness.

- Service Portal: <https://services.excellerat.eu/>
- Trainings: <https://services.excellerat.eu/searchevents/training>
- Potential Collaboration with Industry (not partners): Yes

## USE CASES

1. External aircraft aerodynamics - Aircraft and Aerospace - DLR - CODA
2. Hydrogen combustion for propulsion - Automotive, Aircraft & Aerospace - CERFACS - AVBP
3. Migration of aeroacoustic noise - Automotive, Aircraft & Aerospace, Energy - RWTH Aachen - m-AIA
4. Fully integrated aircraft simulations with emission models - Aircraft & Aerospace - BSC - Alya
5. High-fidelity simulations of rotating parts - Aircraft & Aerospace, Energy KTH - Neko
6. Active control for drag reduction of transonic airfoils - Aircraft & Aerospace- CINECA - FLEW
7. Engineering design of digital twin of the first wall of tokamak fusion reactor - Energy - University of Ljubljana - OpenFOAM/Raysect

## CODES

- **m-AIA**: CFD-related, multi-physics code in C++ with hybrid MPI/OpenMP parallelization and some solvers ported to NVIDIA GPUs
- **AVBP**: 3D parallel Navier-Stokes solver for reactive multi-phase multi-physics problems using Large Eddy Simulation on unstructured grids (runs on any CPU and NVIDIA GPUs).
- **Neko**: SME code running on CPU and GPUs using native accelerator kernels (HIP, Cuda, OpenCL).
- **Alya**: Navier-Stokes solver exploiting a Spectral Element discretization. Runs fully on GPUs (mostly tested on Nvidia V100 and A100 GPUs. Poor performance on AMD GPUs).
- **CODA**: CFD software, Python frontend, C++ backend, supports hybrid MPI/GASPI + OpenMP + NVIDIA GPUs
- **OpenFOAM**: free, open source CFD software
- **Mitsuba2**: Monte Carlo Ray tracing for optical and radiative heat transfer simulations (runs on GPUs)
- **FLEW**: FVM solver for DNS of compressible flow, written in Fortran and OpenACC.





01.01.2023 - 31.12.2026

Simulations for global challenges

<http://www.hidalgo2.eu/>

2nd phase - Type 2 (Apps)

<b>Coordinator: <a href="#">PSNC</a> - PL (PI: <a href="#">Marcin Lawenda</a>)</b>	<a href="#">Univeristy of Strasbourg</a> F
<a href="#">ATOS</a> ES	<a href="#">ICCS</a> EL
<a href="#">University of Stuttgart (HLRS)</a> DE	<a href="#">Meteogrid SL</a> ES
<a href="#">SZE</a> HU	<a href="#">Future Needs</a> CY

HiDALGO2 explores synergies between modelling, data acquisition, simulation, data analysis and visualisation. It will also efficiently utilise current and future HPC and AI infrastructures to develop highly scalable solutions to global climate and social challenges (e.g. violent weather, floods, pollution). HiDALGO2 aims at bringing together advanced solutions (HPC-AI-HPDA) to provide decision makers and stakeholders tools that would mitigate tragic consequences of climate and civilization phenomena, by delivering necessary knowledge.

- Service Portal:
- Trainings: -
- Potential Collaboration with Industry (not partners): Yes (also targets public services)

## USE CASES & CODES

- Urban Air Project: evolution of air in urban areas considering pollution, wind, comfort and planning. The core is the Urban Air Flow (UAP.AF) computational model, based on two main software: OpenFOAM and Fluid-Solver. For both solvers, modelling of more physical properties will be developed including thermal convection, solar heat radiation, transport and reaction between several species.
- Urban Building: advanced building models for better integration with architecture and for pollutants and heat models.
- Renewable Energy Sources: Solutions for production of renewable energy accustomed to urban and rural areas. Multiscale weather prediction based on Fortran and MPI coupled energy production estimation (based on AI/HPDA)
- Wildfires: Simulations of wildfires and atmosphere interaction and smoke dispersion in forest and urban areas. Forecast of weather conditions from WRF and LES at very detailed scales, generating ensembles of weather scenarios over the landscape and coupling of CFD solutions for the detailed modeling of air flow at the settlement scale.

All HiDALGO2 Pilots will be integrated into a newly developed dashboard, a key entry point for internal and external stakeholders of these global challenges.

Additional transversal activities:

- Setup an efficient benchmarking and profiling process
- Optimize pilot towards efficient execution
- Combine simulations and AI models
- Evaluate impact of emerging architectures and technologies





01.01.2023 - 31.12.2026

Material Design

<http://www.max-centre.eu/>

3rd phase - Type 1 (Exascale)

<b>Coordinator: <a href="#">CNR IT (PI: Elisa Molinari)</a></b>	<a href="#">ICN2 ES</a>
<a href="#">Barcelona Supercomputing Centre ES</a>	<a href="#">SISSA IT</a>
<a href="#">CINECA IT</a>	<a href="#">E4 IT</a>
<a href="#">SIPEARL F</a>	<a href="#">Jozef Stefan Institute SI</a>
<a href="#">CEA F</a>	<a href="#">IT4I CZ</a>
<a href="#">ATOS BULL F</a>	<a href="#">Leonardo IT</a>
<a href="#">Julich Forschungszentrum DE</a>	<a href="#">University of Modena&amp;Reggio IT</a>
<a href="#">CSIC ES</a>	<a href="#">University of Bremen DE</a>

MaX-3 targets lighthouse codes for material simulations aimed at understanding, predicting, and discovering the properties and performance of materials. The aim is: to upscale the MaX codes and their performance to multiple heterogeneous exascale architectures; to endow these codes with innovative capabilities enabled by such architectures; to co-design the hardware and software in collaboration with the relevant European stakeholders; to enable turn-key simulation capabilities that meet the power of exascale resources and deliver the resilience needed; to disseminate the entire ecosystem of codes, workflows, and data; and to train and engage developers and users in fully leveraging such powerful instruments for discovery and innovation.

- Service Portal: <http://www.max-centre.eu/services>
- Trainings: <http://www.max-centre.eu/training-and-education>
- Potential Collaboration with Industry (not partners): Yes (but not primary target)

## CODES

- **Quantum ESPRESSO** is an integrated suite of open-source computer codes for electronic-structure calculations and materials modeling at the nanoscale. It is based on density-functional theory (DFT), plane waves, and pseudopotentials.
- **SIESTA** is a code that performs efficient electronic structure calculations and ab initio molecular dynamics simulations of molecules and solids. SIESTA's efficiency stems from the use of a basis set of strictly-localized atomic orbitals.
- **YAMBO** is an open-source code implementing first-principles methods based on Green's function theory to describe excited-state properties of realistic materials.
- **FLEUR** is a code family for calculating ground-state as well as excited-state properties of solids within the context of DFT. A key difference lies in the treatment of all electrons on the same footing.
- **BigDFT** is an electronic structure pseudopotential code that employs Daubechies wavelets as a computational basis, designed for usage on massively parallel architectures.

## ADDITIONAL RESOURCES

- Max Libraries: <http://www.max-centre.eu/software/libraries>
- Features and algorithms: <http://www.max-centre.eu/software/features-and-algorithms>
- Workflows (AiiDA): <http://www.max-centre.eu/software/workflows>
- Data: <http://www.max-centre.eu/data>



01.01.2023 - 31.12.2026

Multiscale Modelling

<https://www.multixscale.eu/>

1st Phase - Type 2 (Apps)

<b>Coordinator: <a href="#">Kemijski Institut SI</a> (PI: <a href="#">Matej Praprotnik</a>)</b>	<a href="#">IIT</a> IT
<a href="#">Barcelona Supercomputing Centre</a> ES	<a href="#">University of Ghent</a> BE
<a href="#">University of Barcelona</a> ES	<a href="#">SURF</a> NL
<a href="#">Max Planck Society</a> DE	<a href="#">HPC Now!</a> ES
<a href="#">University of Stuttgart (HLRS)</a> DE	<a href="#">Forschungszentrum Julich</a> DE
<a href="#">University of Bergen</a> NO	<a href="#">Leonardo</a> IT
<a href="#">Sorbonne University</a> F	<a href="#">Univerity of Groningen</a> NL
<a href="#">CNR</a> IT	<a href="#">Univerity of Tolouse</a> F

MultiXscale aims at increasing performance, productivity and portability in the domain of multiscale simulation. It couples the scientific expertise of the CECAM network, represented by leading experts in multiscale simulations from different European institutions, with the technical expertise of the EESSI collaboration, and targets the computational laboratories of EuroHPC and beyond. It will shoulder much of the technical burden of developing and distributing domain-relevant applications for (pre-)exascale through application co-design for exascale technologies, and the provisioning of exascale-oriented libraries and services that nudge the community to adopt battle-tested, future-oriented, scalable workflows and portable technologies. These will allow application developers to pursue domain-relevant scientific innovation without being over-burdened by technical detail, and empower industrial and academic application users to painlessly adopt bleeding-edge technologies from the domain on whatever computational resource they may have access to.

- Service Portal: -
- Trainings: -
- Potential Collaboration with Industry (not partners): Yes (no PoC budget)

## USE CASES

- Helicopter design and certification for civil transport
- Battery applications to support the sustainable energy transition
- Ultrasound for non-invasive diagnostics and biomedical applications

## CODES

- **EESSI** (European Environment for Scientific Software Installation): complete build and deployment environment for all MultiXscale applications and beyond. Provides a streaming service for scientific software, automatically distributing hardware-optimised applications and updates to all hardware types: supercomputers, servers, laptops...even a Raspberry Pi!

Applications used and contributed to that enter into the multiscale workflows:

- **ESPResSo**: highly versatile software package for performing and analyzing scientific Molecular Dynamics many-particle simulations of "coarse-grained" bead-spring models as they are used in soft-matter research in physics, chemistry and molecular biology.
- **LAMMPS**: classical molecular dynamics code with a focus on materials modeling.
- **waLBerla**



01.01.2024 - 31.12.2026

Performance - Productivity

<https://pop-coe.eu/>

3rd Phase - Type 1 (Exascale)

Since its first phase in 2015, the Centre of Excellence on Performance Optimisation and Productivity (POP CoE) assists a broad community of HPC application developers and users in both science and industry domains helping them to understand the performance-related issues of their applications and thus improve their efficiency and productivity. This fundamental purpose is reached by externally and objectively auditing the performance of the codes of all interested users, by providing not only qualitative but also quantitative analysis through the use of POP tools and methodology.

The current phase, POP3, is articulated in three main pillars: services, users, and co-design. POP services mainly focus on performance assessments with the goal to evaluate code performance and scaling, identifying the main sources of inefficiency and providing some insight and recommendation about how to improve it. POP3 also provides extended second level services that include proof of concepts, energy efficiency and advisory studies.

While POP3 will continue targeting all scales and types of users (incl. SMEs), POP3 focuses on much larger scales, assessing the execution on the EuroHPC hosting sites of some of the European flagship HPC applications for other CoEs.

- Service Portal: <https://pop-coe.eu/services>
- Training events: <https://hpc-portal.eu/node/2015>
- Potential Collaboration with Industry (not partners): Yes

## SERVICES

- Performance assessments
- Proof of concept prototype implementations
- Energy efficiency assessments
- Advisory studies

## TOOLS

### Open source tools:

- **BSC:** [Extrac](#), [Paraver](#), [Dimemas](#)
- **JSC:** [Scalasca](#), [Cube](#), [Score-P](#), [Extra-P](#)
- **Other:** [MAQAO](#) (UVSQ), [MERIC](#) (IT4I), [MUST](#) (RWTH), [TAU](#) (U.Oregon), [Darshan](#) (ANL)

### Commercial tools (when available on system):

- [Vampir](#)
- Intel [Trace Analyzer and Collector](#), [VTune Amplifier](#)
- [HPE Cray Performance Measurement and Analysis Tools](#)
- Linaro [MAP](#), [Performance Reports](#)
- [Nvidia developer tools](#)

Coordinator: Barcelona Supercomputing Center (BSC) - ES - PI: Jesus Labarta	
<a href="#">Barcelona Supercomputing Center</a> ES	<a href="#">INESC ID</a> PT
<a href="#">Forschungszentrum Jülich</a> DE	<a href="#">Teratec</a> FR
<a href="#">RWTH Aachen University</a> DE	<a href="#">U. Versailles</a> FR
<a href="#">VŠB - TU Ostrava (IT4I)</a> CZ	<a href="#">University of Stuttgart (HLRS)</a> DE



01.01.2023 - 31.12.2026

Plasma Simulations

<https://plasma-pepsc.eu/>

1st Phase - Type 1 (Exascale)

<b>Coordinator:</b> <a href="#">KTH Royal Institute of Technology</a> - SE (PI: <b>Stefano Markidis</b> )	<a href="#">FORTH</a> EL
<a href="#">Barcelona Supercomputing Centre</a> ES	<a href="#">HZDR</a> DE
<a href="#">Max Planck Society</a> DE	<a href="#">IPP</a> CZ
<a href="#">SIPEARL</a> F	<a href="#">University of Helsinki</a> FI
<a href="#">Technical University of Munich</a> DE	<a href="#">University of Ljubljana</a> SI

Plasma-PEPSC aims at reaching scientific breakthroughs in plasma science Grand Challenges through exascale computing and extreme-scale data analytics, by enabling unprecedented simulations on current pre-exascale and future exascale platforms to control plasma-material interfaces, optimize magnetically confined fusion plasmas, design next-generation plasma accelerators and predict space plasma dynamics in the Earth's magnetosphere. Plasma-PEPSC aims at achieving these goals by maximizing the parallel performance and efficiency of four European flagship plasma codes with a large user base: BIT, GENE, PIConGPU, and Vlasiator, by building on algorithmic advances as well as on programming model and library developments (MPI, accelerator and data movement APIs and runtimes, in-situ data analysis). Plasma-PEPSC ensures an integrated HPC software engineering approach for deploying, verifying, and validating extreme-scale kinetic plasma simulations that can serve as a community standard.

- Service Portal: -
- Trainings: -
- Potential Collaboration with Industry (not partners): Yes, but more likely at later stage

## GRAND CHALLENGES

- Controlling Plasma-Material Interfaces - BIT1
- Optimizing Magnetically Confined Plasmas - GENE
- Enabling Next-Generation of Plasma Accelerators for Real World Applications - PIConGPU
- Predicting Near-Earth Space Dynamics - Vlasiator

## CODES

- **GENE:** Plasma microturbulence based on Eulerian calculation and MPI domain decomposition.
- **BIT1:** full-size kinetic modelling of plasma edge
- **Vlasiator:** Semi-Lagrangian simulation of the Vlasov Equation and MPI domain decomposition. OpenMP/MPI hybrid parallelizations, sparse grids.
- **PIConGPU** plasma accelerators at full resolution and scale



01.01.2023 - 31.12.2026

Astrophysics / Cosmology

<https://www.space-coe.eu>

1st phase - Type 1 (Exascale)

Coordinator: <a href="#">University of Turin</a> (PI: <a href="#">Andrea Mignone</a> )	
<a href="#">INAF</a> IT	<a href="#">University of Oslo</a> NO
<a href="#">CINECA</a> IT	<a href="#">E4</a> IT
<a href="#">KU Leuven</a> BE	<a href="#">FORTH</a> EL
<a href="#">IT4I</a> CZ	<a href="#">EnginSoft</a> IT
<a href="#">LMU</a> DE	<a href="#">Eviden (Bull)</a> F
<a href="#">CNRS</a> F	<a href="#">HITS</a> DE
<a href="#">Johann Wolfgang Goethe University</a> DE	<a href="#">BSC</a> ES

SPACE CoE aims to extensively re-engineer astronomy and cosmology (A&C) codes for Exascale, adopting new computational solutions and innovative programming paradigms, software solutions, and libraries, to be able to extract information from the extremely complex and voluminous data that will be produced by the forthcoming missions/telescopes (e.g. SKA, Euclid). SPACE will address the high-performance data analysis of the data torrent produced by exascale A&C simulation applications, also with machine-learning and visualization tools.

- Service Portal: -
- Trainings: -
- Potential Collaboration with Industry (not partners): NO

## CODES

- **PLUTO**: an Eulerian, finite-volume, shock-capturing code based on high-order Godunov methods providing several integration algorithms. It supports both classical and relativistic flows and it is equipped also with a particle module for hybrid MHD-PIC simulations.
- **OpenGADGET**: one of the most used codes It is a N-body code that solves the gravitational and hydrodynamical equations in their Lagrangian form for a large ensemble of particles.
- **CHANGA/GASOLINE**: Tree and Smoothed Particle Magnetohydrodynamics codes that are widely used for cosmological galaxy formation simulations. The two codes have the same implementation, but CHANGA features parallelisation design with Charm++ which enables scaling up to 128K cores for highly-clustered datasets.
- **iPic3D**: fully electromagnetic massively parallel particle in cell based on the semi-implicit approach to address multiple scale problems in plasma physics.
- **RAMSES**: code to model astrophysical systems, featuring self-gravitating, magnetised, compressible, radiative fluid flow. Based on the Adaptive Mesh Refinement (AMR) technique.
- **WhiskyTHC**: code aimed at solving the general-relativistic hydrodynamics equations on AMR grids by means of high-resolution shock capturing methods. It leverages a high-level C++ programming paradigm to achieve a high degree of efficiency.
- **FIL**: it employs a fourth-order accurate finite differencing scheme to solve the equations of general-relativistic magnetohydrodynamics. It includes a framework for realistic microphysics through the use of temperature and composition dependent Equation of State tables.
- **BHAC**: multidimensional general relativistic magnetohydrodynamics code based on the MPI-AMRVAC framework. BHAC solves the equations of ideal general relativistic magnetohydrodynamics in one, two or three dimensions on arbitrary stationary spacetimes.